

# RICOH MP 2001SP MP 2501SP

Copier Z Printer Z Facsimile Z Scanner



# Versatile solutions-ready workgroup MFPs

The MP 2001SP/MP 2501SP bring new possibilities to workgroups and small businesses. On their own, the A3 black and white MFPs provide productive and economical printing, copying and colour scanning. And that's just part of their appeal. The devices can also be integrated with software offering everything from electronic workflows to remote management. Other features, normally found on higher speed devices, include a customisable 4.3 inch colour touchscreen display and optional HDD. Now even small businesses can enjoy the cost savings and process efficiencies enjoyed by large enterprises.







### **Fast and productive**

The MP 2001SP/MP 2501SP lets you get more done, more quickly. A first page out in less than six seconds ensures a rapid job turnaround. And, with print speeds of up to 25 ppm, even large documents are soon ready. Colour scanning at up to 50 images per minute extends the productivity benefits to digital workflows.

### Easy to use and compact

Clever design maximises efficiency and MFP availability. A 4.3 inch colour touchscreen gives one-touch access to functions and personalised workflows. Front access allows you to remove paper jams and remote management ensures trouble-free operation. The space-saving cube design lets you position the MFPs exactly where they are needed.

### **Economical and efficient**

The MP 2001SP/MP 2501SP are economical in every way. Energy-efficient operation keeps your electricity bills low and automatic double-sided printing cuts paper use. A dedicated ID Copy button saves time and paper by copying both sides of an ID card on to one side of paper. An eco-screen encourages good practice by showing users the savings they have made.



## **Colour touchscreen**

The 4.3-inch colour touchscreen gives fast access to key features. It is tiltable and customisable with your company logo and your own choice of icons. You can even personalise it for each user. An integrated SD/USB slot enables walk-up users to print directly from removable storage devices.

### **GWNX controller**

The solutions-ready GWNX controller brings high-end functionality to the MP 2001SP/MP 2501SP. With support for embedded and server-based solutions, it lets you streamline processes and improve device management. Or raise productivity by applying the same interface to every MFP on your network.





## Enhanced features with optional HDD

The optional hard disk maximises the benefits of your investment by enabling advanced features. Use it for secure printing, to personalise the home screen for each user, or to preview files when printing from USB storage devices. HDD encryption and overwrite guarantee data security.

### **Colour scanner**

The colour scanner lets you improve document processes. Scan to email, folder or USB. Or to PDF-A for archiving. For one-touch workflows, add a GlobalScan NX icon to the control panel. Scan previews provide reassurance that a document has scanned correctly.



# RICOH MP 2001SP/ MP 2501SP

SPECIFICATIONS

#### GENERAL

GENERAL	
Warm-up time: First output speed: Continuous output speed: Memory:	20/20 seconds 6/6 seconds 20/25 pages per minute Standard: 1 GB Maximum: 1.5 GB
HDD: Dimensions (W x D x H):	Option: 250 GB 587 x 685 x 460 / 587 x 685 x 558mm
Weight: Power source: Duty cycle:	38/44 kg 220-240 V, 50/60 Hz 30,000 prints/month
PRINTER	
Printer language:	Standard: PCL5e, PCL6, XPS Option: Adobe <sup>®</sup> PostScript <sup>®</sup> 3™,
Print resolution: Interface:	600 x 600 dpi Standard: USB 2.0, S0 slot, USB Host I/F, Ethernet 10 base-T/100 base-TX, Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g), Bluetooth Ethernet 1000 Base-T
Network protocol:	TCP/IP (IP v4, IP v6), IPX/SPX Windows <sup>®</sup> environments: Windows <sup>®</sup> XP, Windows <sup>®</sup> Vista, Windows <sup>®</sup> 7, Windows <sup>®</sup> Server 2003, Windows <sup>®</sup> Server 2008, Windows <sup>®</sup> Server 2008R2
Mac OS environments:	Macintosh OS X v10.5 or later (Optional PS3 required)
UNIX environments:	VUNIX Sun <sup>®</sup> Solaris: 2.6, 2.7, 2.8, 2.9, 2.10, HP-UX: 10.x, 11.x, 11i v2, 11i v3, SCO OpenServer: 5.0.6, 5.0.7, 6.0 RedHat <sup>®</sup> Linux Enterprise: 4, 5, 6 IBM <sup>®</sup> AIX: 5L v5.3, 5L v6.1, 5Lv7.1 IBM <sup>®</sup> System 15 <sup>TM</sup> HPT
Novell <sup>®</sup> Netware <sup>®</sup> environments: SAP <sup>®</sup> R/3 <sup>®</sup> environments:	v6.5 SAP <sup>®</sup> R/3 <sup>®</sup>
COPIER	
Copying process:	Laser beam scanning and electrophotographic printing
Multiple copying:	Up to 999 copies

### Resolution: Zoom:

Copy features:

Up to 999 copies
600 dpi
From 25% to 400%
Series Copy, Combine Copy,
Image Rotation, Electronic Sorting,
ID Card Copy

#### SCANNER

Scanning speed:	Full colour: Maximum 50 originals per minute
	B/W: Maximum 50 originals per minute
Resolution:	Maximum: 600 dpi, 1200 dpi (TWAIN)
Original size:	A3, A4, A5
File format:	TIFF, JPEG, PDF, Encrypt PDF,
	High compression PDF, PDF-A
Bundled drivers:	Network TWAIN, Scanner utility
Scan to email:	SMTP, POP, IMAP4
Scan to folder:	SMB, FTP, NCP (Option)
Document server:	With optional HDD

### FAX (OPTION)

Circuit:
Compatibility:
Resolution:
Transmission speed:

Modem speed: Scanning speed: Memory capacity:

### PAPER HANDLING

Paper input capacity:

Recommended paper size: Paper output capacity: Paper weight:

#### ECOLOGY

Power consumption:

Maximum: 1.55 kW Ready mode: 113W Sleep mode: 0.6 W TEC (Typical Electricity Consumption): 892/1,082W/h

+ 100 sheets bypass Maximum: 1350/ 1600 sheets Paper tray(s): A5 - A3 Bypass tray: A6 - A3 Maximum: 350 sheets Standard paper tray(s): 60-105 g/m<sup>2</sup> Bypass tray: 60-162 g/m<sup>2</sup> Duplex: 64-90 g/m<sup>2</sup>

#### SOFTWARE Standard:

Smart Device Monitor, Web Smart Device Monitor® Web Image Monitor

PSTN, PBX

ITU-T (CCITT) G3

Maximum: 33.6 Kbps

MP 2001SP: 1x250 sheet tray + 100 sheets bypass MP 2501SP: 2x250 sheet tray + 100 sheets bypass

2 second(s) Standard: 4 MB

Standard:

7.7 x 3.85 line/mm, 200 x 100dpi G3: Approx 2 seconds (200 x 100dpi, JBIG) Approx 3 seconds (200 x 100dpi)

Adobe<sup>®</sup> PostScript<sup>®</sup> 3<sup>®</sup>

🚯 Bluetooth

Wi Fi)

lava

(inte

Global Scan NX Card Authentication Package

#### OPTION

Optional:

ADF handle, Platen cover, ARDF, 1 x 500-sheet paper tray, 2 x 500-sheet paper tray, One-bin tray, Hard disk drive, RAM, VM card, Netware, Browser unit, Adobe<sup>®</sup> PostScript<sup>®</sup> 3<sup>™</sup> option, Counter interface, File format converter, Copy data security unit, Wireless LAN (IEEE 802.11a/g), IEEE 1284, Bluetooth, Fax option, Fax connection unit, Fax marker

For availability of models, options and software, please consult your local Ricoh representative.



#### URL: http://www.ricoh.co.in

### **RICOH INDIA LIMITED**

CORPORATE OFFICE: 2nd Floor, Salcon Aurum Building, Plot No. 4, District Centre, Jasola, New Delhi-110 025 Tel: (011) 49103000, 49103100, 49103200 Fax: (011) 49103099, 49103199 Email: ril.info@ricoh.co.in SMS: 'RICOH' to 53456 REGISTERED OFFICE: 801, 8th Floor, Ackruti Star, MIDC Central Road, Andheri-East, Mumbai - 400 093 Tel: (022) 66833000 Fax: (022) 67032099

Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Coimbatore, Delhi, Gurgaon, Guwahati, Hyderabad, Jaipur, Kochi, Kolkata, Lucknow, Mumbai, Nagpur, Noida, Patna, Pune, Ranchi, Visakhapatnam.

For more information, please contact: