

RICOH
imagine. change.

Desktop A4 colour MFP

MP C306ZSP
MP C306ZSPF
MP C406ZSP
MP C406ZSPF

Printer Copier Scanner Fax



MP C306ZSP
30/30 ^{B/W}/_{Color} ppm

MP C306ZSPF
30/30 ^{B/W}/_{Color} ppm

MP C406ZSP
40/35 ^{B/W}/_{Color} ppm

MP C406ZSPF
40/35 ^{B/W}/_{Color} ppm

Simplify complex jobs with a handy touch & swipe operation panel

Get the most from your office space and benefit from a quick, lasting return on your investment with Ricoh's new smart A4 colour MFPs. Designed for fast operation and easy integration with your existing document workflows, this MFP series features a large, intuitive control panel that's as simple and convenient to use as a tablet, combined with the ability to handle many of the functionalities and workflows of a large A3 MFP. But these MFPs do more than enhance productivity. They eliminate the need for you to invest in extra space for the functionalities you need. Their small footprint and quiet operation mean they can be placed anywhere without distracting employees or interrupting meetings. And to help you save even more costs, while reducing your carbon footprint, Ricoh has made them amazingly energy-efficient.

- Easy to use: intuitive tablet-style operation
- Productive: seamless integration into your document workflows, saving time and costs
- Space-saving: more functionality from your valuable office space
- Energy-efficient: reduced electricity costs and environmental impact
- Quiet: can be placed anywhere without disturbing meetings or employees



Improve productivity and control costs – the smart way!

Optimal use of office space

Office space is expensive so you don't want to set a large portion of it aside for printing/scanning. Ricoh's new colour MFPs have the smallest footprint in their range, but are packed with functionalities and solutions. They're designed to work quietly in the background, so you can place them close to workstations without disturbing day-to-day work.



Easy with apps

The new 10.1-inch soft-key panel is designed for easy, intuitive operation. Its multi-touch interface allows you to flick, pinch, drag and drop, just as on a smartphone or tablet. It is also easy to install convenient apps and Ricoh Smart Device Connector (for simple, one-touch connection with a smart device). You can even print and scan from your smart device.



Fast results

Ricoh's new colour MFPs deliver up to 40 ppm in black & white, while also fulfilling your colour printing and connectivity needs. Their standard configuration and large operating panel make them easy to use with software solutions. The larger screen size is also perfect for workflow-enhancing apps like Quick Copy.

Savings throughout

A short recovery time, blank sheet printing control and class-leading energy efficiency cut your costs and environmental impact. You can also economise through device management capabilities often only found on A3 machines. By centralising quota settings for users and groups, you can avoid excessive printing. You are sure to notice significant time, space and energy savings!

MP C306ZSP / MP C306ZSPF / MP C406ZSP / MP C406ZSPF

MAIN SPECIFICATIONS

GENERAL

Warm-up time:	66 seconds
First output speed:	Full colour: 11/11/10.5/10.5 seconds B/W: 7.2/7.2/6.2/6.2 seconds
Continuous output speed:	Full colour: 30/30/35/35 pages per minute B/W: 30/30/40/40 pages per minute
Memory:	Standard: 2 GB
HDD:	320 GB
Dimensions (W x D x H):	510 x 588 x 505 mm
Weight:	45 kg
Power source:	220 - 240 V, 50/60 Hz

COPIER

Copying process:	Dry Electrostatic Transfer System with Dual Component Development 4-Drum method
Multiple copying:	Up to 99 copies
Resolution:	600 x 600 dpi
Zoom:	From 25% to 400% in 1% steps

PRINTER

Printer language:	Standard: PCL5C, PCL6(XL), PDF, PostScript [®] 3 [™] Option: XPS
Print resolution:	Maximum: 1,200 x 1,200 dpi
Interface:	Standard: USB 2.0 Type A, USB 2.0 Type B, SD slot, Ethernet 10 base-T/100 base-TX, Ethernet 1000 Base-T Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth
Network protocol:	TCP/IP: IP v4, IP v6
Windows [®] environments:	Windows [®] Vista, Windows [®] 7, Windows [®] 8, Windows [®] 8.1, Windows [®] Server 2003, Windows [®] Server 2003R2, Windows [®] Server 2008, Windows [®] Server 2008R2, Windows [®] Server 2012, Windows [®] Server 2012R2
Mac OS environments:	Macintosh OS X v10.7 or later
UNIX environments:	UNIX Sun [®] Solaris, HP-UX, SCO OpenServer, RedHat [®] Linux, IBM [®] AIX
SAP [®] R/3 [®] environments:	SAP [®] R/3 3.x [®] or later
Other supported environments:	NDPS Gateway, AS/400 [®] using OS/400 Host Print Transform, IBM iSeries

SCANNER

Scanning speed:	Maximum 30 originals per minute (200 dpi Full Colour and B/W Simplex)
Resolution:	Standard: 100 - 600 dpi Default: 200 dpi
Original size:	A4
Bundled drivers:	Network TWAIN
Scan to:	E mail, Folder, USB/SD, URL
File Format:	TIFF, JPEG, PDF, Encryption PDF, High Compression PDF, PDF-A

FAX (MP C306ZSPF/MP C406ZSPF - Standard, MP C306ZSP/MP C406ZSP - Optional)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3
Resolution:	8 x 3.85 line/mm, 200 x 100 dpi, 8 x 7.7 line/mm, 200 x 200 dpi
Compression method:	MH, MR, MMR, JBIG
Transmission speed:	G3: 2 second(s) (200 x 100 dpi, JBIG), 3 second(s) (200 x 100 dpi, MMR)
Modem speed:	Maximum: 33.6 Kbps
Memory capacity:	4 MB

PAPER HANDLING

Recommended paper size:	Standard paper tray(s): A4, A5, B5 Bypass tray: A4, A5, A6, B5, B6
Paper input capacity:	Standard: 350 sheets Maximum: 1,350 sheets
Paper output capacity:	Standard: 100 sheets Maximum: 200 sheets
Paper weight:	Paper tray(s): 60 - 163 g/m ² Bypass tray: 60 - 220 g/m ² Duplex: 60 - 163 g/m ²

ECOLOGY

Power consumption:	Maximum: 1,200 W Ready mode: 47.1/ 47.1/ 51.9/ 51.9 W Sleep mode: 0.7/ 0.7/ 0.75/ 0.75 W TEC (Typical Electricity Consumption): 1,095/ 1,095/ 1,584/ 1,584 Wh
--------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SOFTWARE (OPTION)

GlobalScan NX, Device Manager NX, Enhanced Locked Printed NX, Streamline NX, Card Authentication Package

OPTIONS

Paper tray (500-sheet paper tray), One-bin tray, Bi-directional IEEE 1284, USB Server for Second Network Interface, Bluetooth, Netware, PictBridge, Counter Interface, File Format Converter, Data Overwrite Security Unit (Certified version), Copy Data Security Unit, Fax Connection Unit, Unicode Font Package for SAP, Wireless LAN (IEEE 802.11a/g/n), OCR Unit, XPS Direct Print, NFC Card Reader



Adobe PostScript[®] 3



Adobe PDF



ENERGY STAR



PictBridge



RICOH @Remote

RICOH
imagine. change.

URL: <http://www.ricoh.co.in>

RICOH INDIA LIMITED

CORPORATE OFFICE: 2nd Floor, Salcon Aurum Building, Plot No. 4, District Centre, Jasola, New Delhi-110 025
Tel: (011) 49103000, 49103100, 49103200 Fax: (011) 49103099, 49103199 Email: ril.info@ricoh.co.in SMS: 'RICOH' to 53456
REGISTERED OFFICE: 801, 8th Floor, Ackruti Star, MIDC Central Road, Andheri-East, Mumbai - 400 093
Tel: (022) 66833000 Fax: (022) 67032099
Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Coimbatore, Delhi, Gurgaon, Guwahati, Hyderabad, Jaipur, Kochi, Kolkata, Lucknow, Mumbai, Nagpur, Noida, Patna, Pune, Ranchi, Visakhapatnam.

For more information, please contact: