
Digital B&W Multi Function Printer

# RICOH imagine. change.

### **RICOH** SP 3600sF/3610sF

☑ Copier ☑ Printer ☑ Scanner ☑ Fax





RICOH SP 3600SF/ SP 3610SF offer everything you need for cost-effective black-and-white printing, copying, scanning and faxing. With an attractive purchase price and low Total Cost of Ownership, these multifunctional devices are a sensible long-term investment. To optimize your office productivity, Ricoh's new controller offers outstanding speeds and performance. In addition, these devices fit easily on a desktop for quick operation and easy maintenance thanks to their small footprint and full front access. In short, RICOH SP 3600SF/ SP 3610SF will increase your productivity, day in, day out, in an environmentally responsible manner.

• Low Total Cost of Ownership.



## High productivity; low environmental impact

#### Highly productive

Equipped with the latest Ricoh controller, the RICOH SP 3600SF/ SP 3610SF offer high performance as well as fit-for-purpose functionality. Your first printout is ready in just 6.5 seconds, after which these devices speed along at 30 pages per minute. The single pass duplex scanner (RICOH SP 3610SF) ensures further productivity. Print resolution on the other hand is a high 1,200 x 1,200 dpi. To top it off, both devices are suitable for a duty cycle of 50,000 prints while @Remote is included as standard and WiFi connectivity is optional.



#### Low Total Cost of Ownership

With a competitive price and low Total Electricity Consumption, the SP 3600SF/SP 3610SF are attractive purchases for small- to medium-sized offices. The PxP toner fuses at a lower temperature than normal, reducing energy costs. Toner consumption can be limited by using the 'toner save' feature. Running costs are driven down further thanks to the separate PCDU and toner. This means you can change them independently, instead of having to replace the complete all-inone cartridge.

#### Compact and easy to operate

Thanks to their small footprint, the SP 3600SF/ SP 3610SF easily fit on any office desktop. Full front access is guaranteed for trouble-free maintenance. These devices are also a delight to use thanks to the 4-line LCD panel and short recovery from sleep: ready for action in no time!

#### **Environmentally friendly**

The Ricoh philosophy is to provide optimal performance with the lowest environmental impact. With RICOH SP 3600SF/SP 3610SF's ultrasleep and ECO modes energy consumption and CO2 emissions are reduced to a minimum. During the design phase, recycled and bio-plastic components are used wherever possible. In addition, power consumption during operation is lowest in class and the use of toner and paper is efficiently managed to save resources.



#### RICOH SP 3600SF/ SP 3610SF

MAIN SPECIFICATIONS

GENER AL

Warm-up time: First output speed:

Approx. 6.5 seconds Print speed: 30 pages per minute Memory: Standard: 256 MB 50,000 prints per month Duty cycle: Dimensions (W x D x H): 400 x 392 x 406 mm

Weight:

220 - 240 V, 50/60 Hz Power source:

COPI ER

Copying process:

Laser beam scanning and electrophotographic

19 kg

Multiple copying:

Up to 99 copies

Approx. 19 seconds

Zoom:

From 25% to 400% in 1% steps

**PRI NTER** 

Interface:

Printer language:

Standard: PCL5e, PCL6, Adobe® PostScript® 3™

Print resolution: 1,200 x 1,200 dpi

Fonts:

PCL (45 fonts, International fonts: 13 Intellifonts), PS3

(136 fonts)

Standard: USB 2.0. Ethernet 10 base-T/100 base-TX

Option: Wireless LAN (IEEE 802.11a/b/g/n)

Network protocol:

TCP/IP (IP v4, IP v6)

Windows® environments:

Windows® XP/Vista/7/8/8.1/Server 2003/

Server 2003R2/Server 2008/Server 2008R2/Server 2012/

Server 2012R2

Mac OS environments:

Macintosh OS X Native v10.6 or later

**SCANNER** 

Resolution:

Scanning speed:

Full colour: A4 (Maximum 6 originals per minute) B/W: A4 (Maximum 20 originals per minute) Standard: 100 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi

Default: 200dpi

PSTN PRX

Original size:

Network TWAIN

**Bundled drivers:** Scan to:

E-mail (SMTP Auth, POP before SMTP), USB, SMB, FTP

FAX

Circuit: Compatibility: Transmission speed:

ITU-T (CCITT) G3 G3: 3 second(s) Maximum: 33.6 Kbps Modem speed: Scanning speed: 2.5 second(s) Standard: 16 MB Memory capacity:

Memory backup:

PAPER HANDL ING

Recommended paper size: Standard Tray:

A4, B5, A5, B6, A6, LG, Letter, HLT, Executive, F,

Foolscap, Folio, 16K,

Custom size: Min. 100mm - Max. 216mm x Min.148mm - Max. 356mm (SEF) Min. 3.93" Max. 8.46" x Min. 5.82" - Max. 14.0" (SEF)

A4, B5, A5, B6, A6, LG, Letter, HLT, Executive, F,

Foolscap, Folio, 16K,

Custom size: Min. 60mm - Max. 216mm x Min.127mm - Max. 900mm (SEF) 2.36" - Max. 8.50"x Min. 8.54" -

Max. 35.43"(SEF)

Option:

A4, B5, A5, B6, A6, LG, Letter, HLT, Executive, F,

Foolscap, Folio, 16K,

Custom size: Min. 100mm - Max. 216mm x Min. 148mm - Max. 356mm (SEF) Min. 3.93" - Max.

8.46" x Min.5.82" - Max. 14.0" (SEF)

Paper input capacity: Standard: 350 sheets

Maximum: 850 sheets Paper output capacity: Maximum: 125 sheets

Standard paper tray(s): 52 - 162 g/m<sup>2</sup> Paper weight:

Optional paper tray(s): 52 - 162 g/m<sup>2</sup>

Bypass tray: 52 - 162 g/m<sup>2</sup>

Duplex: 52 - 162 g/m<sup>2</sup>

**ECO LOGY** 

Power consumption:

Maximum: 1,006 W Energy Saver mode: 1.0 W

OPTIONS

1 x 250-sheet paper tray, 1 x 500-sheet paper tray, Wireless LAN (IEEE 802.11a/b/g/n)

CONSU MABLES

Starter toner: Approx. 1,500 prints Toner cartridge (regular yield):Approx. 3,000 prints Toner cartridge (high yield): Approx. 6,000 prints PCDU yield: Approx. 20,000 prints

Maintenance kit: Approx. 120,000 prints

For availability of models, options and software, please consult your local Ricoh supplier.



RICOH INDIA LIMITED: 2nd Floor, Salcon Aurum Building, Plot No. 4, District Centre, Jasola, New Delhi-110 025. Tel: (011) 49103000, 49103100, 49103200 SMS: 'RICOH' to 53456 | Email: ril.info@ricoh.co.in | www.ricoh.co.in



